

TRITURADORAS DE IMPACTOS

IMPACT CRUSHERS


SERIE PL


CARACTERÍSTICAS PRINCIPALES / MAIN SPECIFICATION DETAILS

MODELO TYPE	B. ENTRADA MOUTH SIZE (MM)	PESO WEIGHT (KG)	PROD. CAP. (T/H)	ALIMENT. ST. ADM. (MM)	POT. POW. (KW)
PL 10T	1.145 x 750	11.800	80 / 120	300 / 500	132
PL 11T	1.315 x 750	14.000	120 / 250	300 / 500	160
PL 12T	1.550 x 750	17.200	140 / 275	300 / 500	200
PL 13T	1.660 x 850	21.900	180 / 350	400 / 600	250
PL 14T	2.170 x 850	29.800	220 / 450	400 / 600	370

MEDIDAS GENERALES / GENERAL MEASURES (MM)





MODELO / TYPE	A	B	C	D	E
PL 10T	2.375	1.800	2.500	1.380	2.475
PL 11T	2.580	2.000	2.500	1.380	2.475
PL 12T	2.780	2.200	2.500	1.380	2.475
PL 13T	3.105	2.590	2.790	1.605	2.710
PL 14T	3.610	3.100	2.790	1.605	2.710





SERIE PL

SERIE PL - T




TRITURACIÓN PRIMARIA

PRIMARY CRUSHERS

TRITURADORAS DE IMPACTO

IMPACT CRUSHER

SERIE IM



CARACTERÍSTICAS PRINCIPALES / MAIN SPECIFICATION DETAILS

MODELO TYPE	BOCA ENTRADA MOUTH SIZE (MM)	PESO WEIGHT (KG)	PRODUCCIÓN CAPACITY (T/H)	ALIMENTACIÓN STONES ADMITED (KG)	POTENCIA POWER (KW)	
IM 12	1.315 x 1.200	23.350	130 / 250	750	132	SERIE IM 2 PLACAS DE CHOQUE 2 IMPACT PLATES
IM 12A	1.800 x 1.200	28.000	250 / 400	750	200	
IM 13	1.560 x 1.400	40.300	200 / 400	1.000	200	
IM 14	1.960 x 1.400	48.400	300 / 500	1.500	250	
IM 16	2.320 x 1.700	72.500	500 / 800	3.000	440	
IM 17	3.000 x 1.700	100.300	800 / 1.300	4.000	735	
IM 12R	1.315 x 1.200	24.600	100 / 200	750	160	SERIE IM 3 PLACAS DE CHOQUE 3 IMPACT PLATES
IM 12AR	1.800 x 1.200	30.000	200 / 350	750	250	
IM 13R	1.560 x 1.400	41.900	150 / 300	1.000	250	
IM 14R	1.960 x 1.400	51.000	250 / 400	1.500	315	
IM 16R	2.320 x 1.700	76.500	400 / 700	3.000	530	
IM 17R	3.000 x 1.700	105.800	700 / 1.000	4.000	885	

MEDIDAS GENERALES / GENERAL MEASURES (MM)

MODELO / TYPE	A	B	C	D	E	MODELO / TYPE	A	B	C	D	E
IM 12R	2.750	2.115	2.990	1.720	2.980	IM 14R	3.590	2.940	3.525	2.135	3.695
IM 12AR	3.240	2.400	2.990	1.720	2.980	IM 16R	4.435	3.420	3.810	2.445	4.365
IM 13R	3.220	2.540	3.525	2.135	3.695	IM 17R	5.120	4.160	3.810	2.445	4.365

